



INFUSIONS[®] Walls

INFUSIONS™

Walls



▲ Infusions™ Walls 2" x 8" Refined Tangerine

KEY SELECTION ATTRIBUTES

- Define the look of your space with translucent walls
- 2' x 8' walls coordinate with a broad range of interior finishes, as well as with Accent Canopies and Lay-in panels in the Infusions family, and Acoustical Clouds and Canopies in the SoundScapes® family
- Standard products create a custom look
- Panels factory-drilled to accept Point Support hardware
- Aluminum Point Support Kit offers contemporary, sleek visual
- 4' x 6' Polycarbonate and 4' x 8' PETG sheets available for coordination with Infusions Canopies, Lay-in panels, and Partitions. (Sheets may not be used for ceiling applications.)
- For custom sizes and colors, contact Architectural Specialties at 1 877 276-7876, select options 1-1-4


COLORS/PATTERNS Due to printing limitations, shade may vary from actual product.

Goldtones




Honey Canvas (THC) Spun Copper (TSC) Crushed Copper (TCC)

Linens




Linen Gold (TLG) Natural Linen (TNL)† Blue Linen (TBL)†

Crystallines



Crystalline Focus (TCR) Crystalline Silverado (TNL)

Tone-on-Tone



White Circlets (TWC) Silver Orbit (TSR) Indigo Surf (TNS)

Arbors



Clear Arbor (TCA) Blue Arbor (TBA) Orange Arbor (TOA) Red Arbor (TRA)

† Color may vary panel to panel

INFUSIONS™

Walls

LEED® WELL™ LBC

40% RECYCLED CONTENT

Calculate sustainability with GreenGenie™
armstrongceilings.com/greengenie


energy management	construction waste mgmt	regional materials	design for flexibility	EPD	recyclable/extended producer resp.	biobased materials	recycled content	sourcing of raw materials	material ingredient reporting	low emitting materials	lighting quality	acoustics
-------------------	-------------------------	--------------------	------------------------	-----	------------------------------------	--------------------	------------------	---------------------------	-------------------------------	------------------------	------------------	-----------

▲ LOCATION DEPENDENT

COLOR SELECTION – SOLIDS Due to printing limitations, shade may vary from actual product.



SoundScapes® panels – Coordinating Colors




VISUAL SELECTION

	Item No. ◆	Dimensions (Inches)	Colors	Pieces/Pack
INFUSIONS™ Walls	5824_ _ _	24 x 96 x 1/4"	See Above	2

◆ When specifying or ordering, include the appropriate 3-letter color suffix (e.g., 5824 **TCP**).
NOTE: Wall Anchor not provided in kit. Point Support includes panel standoff and standoff cap.

SYSTEM ASSEMBLY



ACCESSORIES

Item No.	Description	Color	Pcs/Ctn
5848	Infusions Wall Panel Hardware Kit	Aluminum	16 Point Support

NOTE: Wall Anchor not provided in kit. Point Support includes panel standoff and standoff cap.

PHYSICAL DATA

Material
PETG

Surface Finish
Smooth

Fire Performance

Infusions™ panels have been tested according to NFPA 286 and are equivalent to Class A Interior Finish as defined by the International Building Code.

Contact TechLine at 1 877 276-7876 for specific U.S. and Canadian fire performance data.

Installation and Design Considerations

Do not allow panel edges to get wet. Infusions Resilient panels are not approved for exterior application.

Panel kits include ceiling hanging kit and floor mounting kit hardware. Floor mounting hardware is optional, but recommended. Floor mounting hardware requires field drilling pilot holes in panels.

Linking kits must be ordered separately.

Panels can be damaged by exposure to high temperatures. Panel temperature should not be permitted to exceed 100°F.

Warranty

Details at armstrongceilings.com/warranty

Weight; Pieces/Carton

Panel weight – 27 lbs
2 pieces/pack (Bulk packaged)