




Wood & Wood-look
Nature Inspired
Design

Armstrong[®]
World Industries

Bring Nature Indoors

Enhance Indoor Environmental Quality (IEQ) and bring occupant well-being to the forefront of your design by incorporating natural elements. With a broad portfolio of wood and wood-look options, there's a nature-inspired solution that's perfect for every space.

Solid & Veneered Wood



6
WoodWorks®




12
WoodWorks® ACGI



14
MetalWorks™

Wood-look




18
Lyra® PB



20
SoundScapes®
Blades



22
SoundScapes®
Shapes



24
Tectum®
Create!™



- CENTRAL HALLWAY
- COMMUNITY ROOM
- CONFERENCE ROOM
- LAC-OUT TRAIL
- LOCKER ROOM
- OFFICE
- ROOMS 100-105
- WAITING AREA





▲ WoodWorks® Grille – Forté veneered 3-slat panels, 3/4" W x 3" H in 96" lengths in Quartered Sapele

Cultivate Your Design



Bring occupant well-being to the forefront of your design with the inimitable beauty of solid and veneered wood. Wood interiors contribute to biophilic design, connecting us with nature and offering a natural warmth and comfort.

▼ WoodWorks® Grille – Forté solid 3-slat panels, 3/4" W x 4-1/4" H in 96", 48", and 72" lengths in Natural Walnut finish



Distinguished Warmth

Tinted to replicate naturally occurring wood tones, curated WoodWorks® solid finishes enrich your space with unmistakable warmth and character.


WoodWorks solid wood finishes are part of the Sustain® portfolio and meet the most stringent industry sustainability compliance standards today.




SUSTAIN™
High Performance Sustainable
Ceiling Systems

WOODWORKS® Finishes on Solid Poplar


Our tinted finishes allow the natural character of the poplar to shine through. The images below reflect the visual range that is likely within our product. Darkest to lightest tones may occur within an installation due to the character of wood.



Bleached Grey (GBG)



Classic Grey (GCG)



Carbon Grey (GCB)



Rich Mahogany (GRY)




Antique Oak (GAO)



Red Oak (GRK)



English Chestnut (GEC)



Golden Maple (GGM)



Natural Walnut (GWN)




Warm Oak (GWO)



Forest Walnut (GFW)

Custom Finishes



Custom Wood
Species and
Finishes Available

Legacy Finishes




Maple (GMP)



Light Cherry (GLC)



Dark Cherry (GDC)



White (GWH)*

* Painted White finish is not part of the Sustain portfolio.

Due to printing limitations, shade may vary from actual product.

Exceptional Character

From rich colors to one-of-a-kind graining, a variety of species and veneer cuts offer unparalleled natural beauty.

new WOODWORKS® Real Wood Veneers

The carefully curated species and veneer cut offer a beautiful natural variation. The images below reflect the visual range that is likely within our product. Darkest to lightest tones may occur within an installation due to the character of wood.



Plain Slice White Maple (NWM)



Plain Slice White Ash (NWA)



Vertical Grain Fir (NVF)



Rift White Oak (NRO)



Plain Slice White Oak (NOK)



Plain Slice Cherry (NPC)



Quartered Mahogany (NQM)



Quartered Sapele (NQS)



Quartered Walnut (NQW)



Plain Slice Walnut (NWN)

Custom Finishes




Custom Wood Species and Finishes Available

Veneer Cuts


Different cuts of a log will yield different graining visuals. Choose your veneer to achieve your desired look.



Plain Sliced
Produces the well-known cathedral or loop-grain effect.



Quarter Sliced
Produces a striped, often straight-grain effect.



Rift Sliced
Produces a tight, linear grain along the entire length of the veneer.

▼ WoodWorks® Grille – Forté veneered 3-slat panels, 3/4" W x 2-1/2" H in 96" lengths in Plain Slice White Oak





▲ WoodWorks® Linear Veneered Open 3-3/4" planks in Plain Slice Walnut

NATURAL VARIATIONS™ Real Wood Veneers



Beech (NBE)



Maple (NMP)



Light Cherry (NLC)



Dark Cherry (NDC)



Walnut (NWN)



Oak (NOK)



Walnut Espresso (NWE)


CONSTANTS™ Real Wood Veneers



Maple (CMA)



Cherry (CCY)



Walnut (CWA)



Redux Wood Wheat (CRW)

Custom Finishes





Extraordinary Visions

The sky's the limit with WoodWorks® ACGI custom wood capabilities. Seamlessly integrate ceiling and wall systems as well as interior and exterior visuals for your design in a variety of custom wood species and finishes.



▲ WoodWorks® ACGI custom installation, Temple University Charles Library, Philadelphia, PA, Snøhetta Architects

Beautifully Durable Metal

Three families of standard finishes offer the warm visual of wood on durable metal panels. Sleek and versatile, MetalWorks™ wood-look finishes offer design solutions for both interior and exterior spaces.


SEQUELS™ Pre-coated Coil Finishes



La Jolla Oak (SQLO)



New Haven Walnut (SQNW)



Cape May Cherry (SQCC)



Montauk Driftwood (SQMD)

▼ MetalWorks™ Immix™ Linear perforated 6" W x 1" H plank with 4 planks per panel in Cape May Cherry






▲ MetalWorks™ Torsion Spring in Honey Maple and Fine Fissured™ High NRC, Dover High School, Dover, DE

Natural Reflections Sustainable Laminate Finishes



Honey Maple (LHM)




English Walnut (LEW)




Cool Maple (LCM)




Honest Maple (LHS)



Spring Cherry (LSC)



Beloved Oak (LBO)



Midnight Forest (LMD)



MetalWorks™ Natural Reflections finishes are part of the Sustain™ portfolio and meet the most stringent industry sustainability compliance standards today.

Due to printing limitations, shade may vary from actual product.



▲ MetalWorks™ Blades – Classics in Effects™ Oak, Mesa Temple Visitors Center, Mesa, AZ, Architectural Nexus


**EFFECTS™ Classic
Dye-sublimation Finishes
(Interior, Exterior)**




Oak (FXOK, FXOK2)



Cherry (FXCH, FXCH2)



Dark Cherry (FXDC, FXDC2)



Walnut (FXWN, FXWN2)



Walnut Espresso (FXWE, FXWE2)

**EFFECTS Bold Dye-sublimation Finishes
(Interior, Exterior)**



Sea Salt (FXSS, FXSS2)



Poppy Seed (FXPS, FXPS2)



Ginger (FXGR, FXGR2)



Peppercorn (FXPC, FXPC2)



Nutmeg (FXNM, FXNM2)



Almond (FXAL, FXAL2)


**EFFECTS Subtle Dye-sublimation Finishes
(Interior, Exterior)**



Sesame (FXSE, FXSE2)



Macadamia (FXMA, FXMA2)



Cinnamon (FXCM, FXCM2)



Flax (FXFL, FXFL2)



Cocoa Bean (FXCB, FXCB2)



Coriander (FXCO, FXCO2)

Realistic Wood-looks, Superior Acoustical Control


Lyra® PB Tegular and Vector wood-look panels provide the natural beauty of large format wood ceilings with superior sound absorption and sustainability attributes without the expense.

Lyra PB panels are part of the Sustain® portfolio and meet the most stringent industry sustainability compliance standards today.



SUSTAIN™
High Performance Sustainable
Ceiling Systems

LYRA PB Printed Wood-look Visuals



Brown Sugar Walnut (WBS)



Toffee Chestnut (WTC)



Vanilla Ash (WVA)



Honey Oak (WHO)




Earl Grey Teak (WGT)



Coconut Birch (WCB)*



Bourbon Cherry (WBC)



Dark Mocha Walnut (WMW)

* Only available on Tegular panels.

▼ Lyra® PB Square Tegular panels in Honey Oak with 9/16" Suprafine® XL® suspension system in Hay






▲ SoundScapes® Blades Wood Look wave designs in Vanilla Ash (WVA)

Acoustics Excellence Meets Wood Looks



Standard Wood-look
Visuals



Brown Sugar Walnut (WBS)



Toffee Chestnut (WTC)



Vanilla Ash (WVA)



Honey Oak (WHO)

SOUNDSCAPES® BLADES


Bring the outdoors in and enhance your space using dynamic visuals with SoundScapes® Blades Wood Looks while achieving sound absorption of up to 2.05 NRC depending on blade depth and spacing.



FAST 134
Select Items Ship Fast
armstrongceilings.com/fast134

Playful Installations

Standard Wood-look Visuals



Brown Sugar Walnut (WBS)



Toffee Chestnut (WTC)



Vanilla Ash (WVA)



Honey Oak (WHO)



FAST 134
Select Items Ship Fast
armstrongceilings.com/fast134



Realistic wood looks in 9 standard shapes bring design flexibility to add energy to your space while achieving sound absorption of up to 1.15 NRC.





▲ Tectum Create! Direct-Attach ceiling and wall panels in standard Rustic Plank design

Textured Rustics

Tectum® Create!™ standard designs offer distinctive image depth and personality with Sustain performance and excellent sound absorption.

Tectum Create! panels are part of the Sustain portfolio and meet the most stringent industry sustainability compliance standards today.



SUSTAIN™
High Performance Sustainable
Ceiling Systems

Wood & Wood-looks Selection Guide

PRODUCTS	Material	Wood/ Wood-Look Visual	Wood/ Wood-Look Trim	Material Cost*	Maximum Acoustic Performance	Lead Time	Humidity/ Sag Resistant	Ease of Install***	 Sustainability
WoodWorks® Ceilings & Walls	Wood Veneer with Fire-rated Particle Board	True Wood Character	Coordinating Trim Available	\$\$\$	0.85 NRC** 35 CAC			••	
	Solid Wood	Stained Poplar	Coordinating Trim Available	\$\$	0.85 NRC** 39 CAC			••	
Lyra® PB Tegular & Vector Ceilings	Fiberglass with Plant-Based Binder	Printed Scrim	Standard Axiom® Trim Recommended	\$	Up to 0.95 NRC	3-6 Weeks	Yes	•••	 + Recycled Content
SoundScapes® Blades Ceilings & Walls	Fiberglass	Acoustically transparent membrane on face and sides	Coordinating Grid Available	\$\$	2.05 NRC		Yes	••	Recycled Content
SoundScapes® Shapes Ceilings & Walls	Fiberglass	Acoustically transparent membrane on face and sides	Standard Suspension recommended	\$\$	1.15 NRC				Recycled Content
MetalWorks™ Ceilings & Walls	Aluminum and Steel	Printed, Dye-Sublimation and Laminated	Coordinating Trim for Effects Finishes	\$\$\$	0.80 NRC 35 CAC		Yes	••	 (Natural Reflections)
Tectum® Create!™ Ceilings & Walls	Cementitious Wood Fiber	Printed Rustic Wood	Standard Axiom Trim Recommended	\$\$	0.85 NRC**	6 Weeks		•••	
WoodWorks® ACGI Custom Ceilings & Walls	Veneer & Solid Wood	Custom to Match Millwork	Custom	\$\$\$\$	Varies	Varies		•	
Turf® Textures Ceilings & Walls	Felt	Printed Felt	Custom	\$\$	0.75 NRC	6 Weeks	Yes	••	Declare® Red List Free, HPD, Low-VOC
Arktura® Ceilings & Walls	Metal & Felt	Custom to Match Millwork	Custom	\$\$\$	Varies	Varies	Yes	•	Declare® Red List Free, HPD, Low-VOC Recycled Content
Móz™ Ceilings & Walls	Metal	Custom to Match Millwork	Custom	\$\$\$	Varies	Varies	Yes	•	HPD, Recycled Content

* Material cost indicates relative price point at the time of print. Please contact your Armstrong representative for pricing.

** Maximum acoustical performance achieved with the use of an infill panel.

*** Three dots indicate most familiar to commercial ceiling installers.

Red List Free as verified by our Declare® labels, ingredient transparency assured by Health Product Declarations (HPDs), Environmental Product Declarations (EPDs) for lifecycle impacts and low emissions certification with UL® GREENGUARD Gold.

TAKE
THE NEXT
STEP

Experience,
Above All™

877 276-7876

Customer Service Representatives
7:45 a.m. to 5:00 p.m. EST
Monday through Friday

TechLine – Technical information, detail drawings,
CAD design assistance, installation information,
other technical services – 8:00 a.m. to 5:30 p.m. EST,
Monday through Friday. FAX 1 800 572 8324
or email: techline@armstrongceilings.com

armstrongceilings.com/commercial

Latest product news
Standard and custom product information
Online catalog
CAD, Revit®, SketchUp® files
A Ceiling for Every Space® Visual Selection Tool
Product literature and samples – express service
or regular delivery
Contacts – reps, where to buy, who will install

 **ProjectWorks®**

armstrongceilings.com/projectworks

The power of **ProjectWorks®** Design and
Pre-Construction Service

Mix and match different sizes, shapes,
colors, and materials to reinvent your
standard, specialty, or custom ceiling.

Visit our pattern gallery online to
see ideas for your next project at
armstrongceilings.com/patterngallery

Contact your local representative to get a
design started! Not sure who your local rep
is? Visit **armstrongceilings.com/findarep**



Cover Photo: Lyra® PB Vector® panels ▶
in Brown Sugar Walnut with
15/16" Prelude® suspension system in Black

armstrongceilings.com/woodlookportfolio

Turf® is a trademark of Turf Design, Inc.; Revit® is a registered trademark of Autodesk, Inc.;
SketchUp® is a registered trademark of Trimble Navigation Limited; UL® is a registered trademark
of UL LLC; Declare® is a registered trademark of the International Living Future Institute®;
Arktura® is a registered trademark of Arktura, LLC; all other trademarks used herein are the property
of AWI Licensing LLC and/or its affiliates
© 2024 AWI Licensing LLC

Armstrong®
World Industries