

HPD UNIQUE IDENTIFIER: 30428

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT DESCRIPTION: Acoustical ceiling and wall panels

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|--|--|--|---|
| <p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p> | <p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p> | <p>Residuals/Impurities Evaluation</p> <p><input checked="" type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input type="radio"/> Not Completed</p> <p>Explanation(s) provided :</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> | <p><i>For all contents above the threshold, the manufacturer has:</i></p> <p>Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p>Screened <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p>Identified <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p> |
|--|--|--|---|

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

FELTWORKS™ ACOUSTICAL PANELS [POLYETHYLENE TEREPHTHALATE (PET) LT-P1 PHOSPHONIC ACID, METHYL-, BIS(5-ETHYL-2-METHYL-2,2-DIOXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL ESTER, MIXT. WITH (5-ETHYL-2-METHYL-2-OXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL METHYL METHYLPHOSPHONATE NoGS UNDISCLOSED NoGS BENZOXAZOLE, 2,2'-(1,2-ETHENEDIYLDI-4,1-PHENYLENE)BIS- BM-1 TITANIUM DIOXIDE (PRIMARY CASRN IS 13463-67-7) LT-1 | CAN | END | MAM BLACK TINT BM-1 | CAN | EYE | MAM BLUE TINT BM-3 RED TINT BM-1 | CAN | MAM | EYE | SKI YELLOW TINT LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-11-01

PUBLISHED DATE: 2022-11-01

EXPIRY DATE: 2025-11-01

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

FELTWORKS™ ACOUSTICAL PANELS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES: This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-11-01 17:24:55

%: 97.4000 - 99.2000 GreenScreen: LT-P1 RC: None NANO: Unknown SUBSTANCE ROLE: Structure component

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
|---------------------|--------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

PHOSPHONIC ACID, METHYL-, BIS(5-ETHYL-2-METHYL-2,2-DIOXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL ESTER, MIXT. WITH (5-ETHYL-2-METHYL-2-OXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL METHYL METHYLPHOSPHONATE

ID: 170836-68-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-11-01 17:24:55

%: 0.4000 - 1.0000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Flame retardant

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
|---------------------|--------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

HAZARD DATA SOURCE: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2022-10-28 16:10:23**

%: **0.3000 - 0.6000** GreenScreen: **NoGS** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Surface modifier**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
|---------------------|--------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

BENZOXAZOLE, 2,2'-(1,2-ETHENEDIYLDI-4,1-PHENYLENE)BIS-

ID: **1533-45-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-11-01 17:24:56**

%: **0.0000 - 0.5000** GreenScreen: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
|---------------------|--------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

TITANIUM DIOXIDE (PRIMARY CASRN IS 13463-67-7)

ID: **946525-05-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-11-01 17:24:57**

%: **0.0000 - 0.3000** GreenScreen: **LT-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|---|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| CAN | EU - Annex VI CMRs | Carcinogen Category 2 - Suspected human Carcinogen |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE SCIL Green Circle - Verified Low Concern |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products |

SUBSTANCE NOTES: Titanium Dioxide is bound within the coating and not in a respirable form in the final product. Accordingly, it is excluded from regulatory hazard lists.

BLACK TINT

ID: 1333-86-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-11-01 17:24:57**

?: **0.0000 - 0.1000**

GreenScreen: **BM-1**

RC: **None**

NANO: **Unknown**

SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| CAN | GHS - New Zealand | Carcinogenicity category 2 |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |

| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
|---------------------|--------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Black Tint is bound within the coating and not in a respirable form in the final product. Accordingly, it is excluded from regulatory hazard lists.

BLUE TINT

ID: 147-14-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-11-01 17:24:58

#: 0.0000 - 0.1000 GreenScreen: **BM-3** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|---|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE SCIL Green Circle - Verified Low Concern |

SUBSTANCE NOTES:

RED TINT

ID: 1309-37-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-11-01 17:24:59

#: 0.0000 - 0.1000 GreenScreen: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|------------------------|---|
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

YELLOW TINT

ID: 4118-16-5

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2022-11-01 17:24:59 | | |
|--|----------------------------|---|----------------------|--------------------------------|
| %: 0.0000 - 0.1000 | GreenScreen: LT-UNK | RC: None | NANO: Unknown | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |
| SUBSTANCE NOTES: | | | | |

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | UL GreenGuard Gold | |
|---|-------------------------|----------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2019-07-30 | CERTIFIER OR LAB: UL |
| APPLICABLE FACILITIES: all | EXPIRY DATE: 2023-06-25 | Environment |
| CERTIFICATE URL: https://www.armstrongceilings.com/commercial/en-us/performance/sustainable-building-design/voc-certificates.html | | |
| CERTIFICATION AND COMPLIANCE NOTES: | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy, or completeness of the declaration form, or the standards, rules, classifications, warnings, or criteria utilized or referenced therein. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries
ADDRESS: 2500 Columbia Avenue
 Lancaster Pennsylvania 17603, United States
WEBSITE: www.armstrongceilings.com

CONTACT NAME: TechLine
TITLE: Customer Service Representative
PHONE: 1-877-276-7876
EMAIL: techline@armstrongceilings.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.