

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 17-Mar-2020 Revision Date 17-Mar-2020 Revision Number 1

1. Identification

Product identifier

Product Name Aluminum Ceiling Suspension Systems

Other means of identification

Product Code(s) Prelude, CleanRoom, Serpentina, DynaMax Structural Aluminum Data Center Grid

System, AXIOM: Classic Trim, Axiom Glazing Channel, AXIOM for Interlude, Axiom Knife Edge, Axiom Transitions, Axiom Vector, Axiom Wall Moldings & Column Rings

Ceiling Grid Suspension System, Trim, Transitions

Synonyms

Recommended use of the chemical and restrictions on use

Recommended use Ceilings

Restrictions on use No information available.

Details of the supplier of the safety data sheet

Initial supplier identifier

Armstrong World Industries 255 Montpellier Blvd St. Laurent, Quebec Canada H4N 2G3 Tel: 877-276-7876

techline@armstrongceilings.com

E-mail techline@armstrongceilings.com

Emergency telephone number

Emergency Telephone 1-800-255-3924 (ChemTel)

2. Hazard(s) identification

Classification

This product is an article as defined by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200) and Canada WHMIS 2015, which includes the amended Hazardous Products Act (HPA). No exposure to hazardous chemicals is expected to occur during intended product use. Misuse of the product may result in exposure to hazards.

Skin sensitization	Category 1
Carcinogenicity	Category 2

Label elements

Warning

Hazard statements

May cause an allergic skin reaction. Suspected of causing cancer.



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instructions on this label). **Skin**

IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Synonyms

Ceiling Grid Suspension System, Trim, Transitions

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Aluminum	7429-90-5	>90	-	-
Titanium dioxide	13463-67-7	0-2	-	-
Barium sulfate	7727-43-7	0-2	-	-
Petroleum naphtha, light aromatic	64742-95-6	0-1	-	-
Naphtha (petroleum), heavy aromatic	64742-94-5	0-1	-	-
Bisphenol A - Epichlorohydrin polymer	25068-38-6	0-<1	-	-
n-Butyl alcohol	71-36-3	0-<1	-	-
Naphthalene	91-20-3	0-<1	-	-
Isobutyl alcohol	78-83-1	0-<1	-	-
Ethylbenzene	100-41-4	0-<1	-	-
Carbon black	1333-86-4	0-<1	*	-

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation IF INHALED: Remove to fresh air.

Eye contact IF IN EYES: Rinse thoroughly with plenty of water, also under the eyelids. Get medical

attention if symptoms occur.

Skin contact IF ON SKIN: Wash with plenty of soap and water. May cause an allergic skin reaction. In

the case of skin irritation or allergic reactions see a physician.

Ingestion Not an expected route of exposure.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Revision Date: 17-Mar-2020

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

8. Exposure controls/personal protection

A C C II I T I V /

Control parameters

0|----

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	
Aluminum	TWA: 1 mg/m³ respirable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust	
7429-90-5	particulate matter	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust	
	-	fraction		
		(vacated) TWA: 15 mg/m³ total		
		dust		
		(vacated) TWA: 5 mg/m ³		
		respirable fraction		
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³	
13463-67-7		(vacated) TWA: 10 mg/m³ total	TWA: 2.4 mg/m ³ CIB 63 fine	
		dust	TWA: 0.3 mg/m ³ CIB 63	
			ultrafine, including engineered	
			nanoscale	
Barium sulfate	TWA: 5 mg/m³ inhalable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust	
7727-43-7	particulate matter, particulate	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable dust	
	matter containing no asbestos	fraction		
	and <1% crystalline silica	(vacated) TWA: 10 mg/m³ total		
		dust		
		(vacated) TWA: 5 mg/m ³		
		respirable fraction		
n-Butyl alcohol	TWA: 20 ppm	TWA: 100 ppm	IDLH: 1400 ppm	
71-36-3		TWA: 300 mg/m ³	Ceiling: 50 ppm	
		(vacated) S*	Ceiling: 150 mg/m ³	
		(vacated) Ceiling: 50 ppm		
		(vacated) Ceiling: 150 mg/m ³		
Naphthalene	TWA: 10 ppm	TWA: 10 ppm	IDLH: 250 ppm	
91-20-3	S*	TWA: 50 mg/m ³	TWA: 10 ppm	
		(vacated) TWA: 10 ppm	TWA: 50 mg/m ³	
		(vacated) TWA: 50 mg/m ³	STEL: 15 ppm	
		(vacated) STEL: 15 ppm	STEL: 75 mg/m ³	
		(vacated) STEL: 75 mg/m ³		
Isobutyl alcohol	TWA: 50 ppm	TWA: 100 ppm	IDLH: 1600 ppm	
78-83-1		TWA: 300 mg/m ³	TWA: 50 ppm	
		(vacated) TWA: 50 ppm	TWA: 150 mg/m ³	
		(vacated) TWA: 150 mg/m ³		

			1				
Ethylbenzene	TWA: 20 ppm	TWA: 20 ppm		100 ppm		IDLH: 800 ppm	
100-41-4			TWA: 435 mg/m ³			TWA: 100 ppm	
			(vacated) TWA: 100 ppm			TWA: 435 mg/m ³	
				VA: 435 mg/m ³		STEL: 125 ppm	
			(vacated) S	TEL: 125 ppm		STEL: 545 mg/m³	
			(vacated) ST	EL: 545 mg/m ³		-	
Carbon black	TWA: 3 mg/m ³ inha	lable	TWA: 3	3.5 mg/m ³		DLH: 1750 mg/m ³	
1333-86-4	particulate matte		(vacated) TV	NA: 3.5 mg/m ³		TWA: 3.5 mg/m ³	
	'		,	J	TWA:	0.1 mg/m³ Carbon black	
						resence of Polycyclic	
						atic hydrocarbons PAH	
Chemical name	Alberta	Britis	h Columbia	Ontario	G. 6111	Quebec	
Aluminum	TWA: 10 mg/m ³		: 1.0 mg/m ³	TWA: 1 mg/	'm ³	TWA: 10 mg/m ³	
7429-90-5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	' ' ' '	1.0 mg/m	1 1777. 1 1119/		1 vv/ t. 10 mg/m	
Titanium dioxide	TWA: 10 mg/m ³	T\// A	\: 10 mg/m ³	TWA: 10 mg	/m ³	TWA: 10 mg/m ³	
13463-67-7	TVVA. 10 mg/m		A: 3 mg/m ³	I TVVA. TO mg	/111	TVVA. 10 mg/m	
Barium sulfate	TWA: 10 mg/m ³		A: 5 mg/m ³	TWA: 5 mg/	'm3	TWA: 10 mg/m ³	
7727-43-7	I TVVA. TO HIG/III	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A. 5 mg/m	I TVVA. 5 mg/	111	TWA: 10 mg/m ³	
n-Butyl alcohol	TWA: 20 ppm	T\//	A: 15 ppm	TWA: 20 pr	.m	Ceiling: 50 ppm	
71-36-3	TWA: 60 mg/m ³		• • •	1 VVA. 20 P	וווע	Ceiling: 152 mg/m ³	
/ 1-30-3	T VVA. 60 mg/m²	Celli	ng: 30 ppm			Skin	
Nie wie de eile wie	T10/0 - 40	T\A/	A . 40	T\\\\\ \ . 40 ==		•	
Naphthalene	TWA: 10 ppm	1 1 1 1 1 1	A: 10 ppm	TWA: 10 pp	om	TWA: 10 ppm	
91-20-3	TWA: 52 mg/m ³		Skin	Skin		TWA: 52 mg/m ³	
	STEL: 15 ppm					STEL: 15 ppm	
	STEL: 79 mg/m ³					STEL: 79 mg/m ³	
	Skin						
Isobutyl alcohol	TWA: 50 ppm	TW	A: 50 ppm	TWA: 50 pp	om	TWA: 50 ppm	
78-83-1	TWA: 152 mg/m ³					TWA: 152 mg/m ³	
Ethylbenzene	TWA: 100 ppm	TW	A: 20 ppm	TWA: 20 pp	om	TWA: 100 ppm	
100-41-4	TWA: 434 mg/m ³					TWA: 434 mg/m ³	
	STEL: 125 ppm					STEL: 125 ppm	
	STEL: 543 mg/m ³					STEL: 543 mg/m ³	
Carbon black	TWA: 3.5 mg/m ³	TW	A: 3 mg/m ³	TWA: 3 mg/	m³	TWA: 3.5 mg/m ³	
1333-86-4							

Chemical name	ACGIH
Naphthalene	(-end of shift 1-Naphthol with hydrolysis plus 2-Naphthol with hydrolysis)
Ethylbenzene	0.15 g/g creatinine (urine -end of shift Sum of mandelic acid and
	phenylglyoxylic acid)

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Shiny, Silver metallic, Solid

Physical state Solid
Color Silver
Odor None

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known

Melting point / freezing point 660 °C / 1220 °F

Boiling point / boiling rangeNo data availableNone knownFlash pointNo data availableNone knownEvaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 2.70

Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Explosive properties

Oxidizing properties

No information available.

No information available.

No information available information available.

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information Exposure is not expected for product under normal conditions of use.

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with

Revision Date: 17-Mar-2020

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
Barium sulfate	= 307000 mg/kg (Rat)	-	-
Petroleum naphtha, light aromatic	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat) 4 h
Naphtha (petroleum), heavy aromatic	> 5000 mg/kg (Rat)	> 2 mL/kg(Rabbit)	> 590 mg/m³ (Rat) 4 h
Bisphenol A - Epichlorohydrin polymer	= 11400 mg/kg (Rat)	-	-
n-Butyl alcohol	= 700 mg/kg (Rat)	= 3402 mg/kg (Rabbit)	> 8000 ppm (Rat) 4 h
Naphthalene	= 1110 mg/kg (Rat)	= 1120 mg/kg (Rabbit)	> 340 mg/m³ (Rat) 1 h
Isobutyl alcohol	= 2460 mg/kg (Rat)	= 3400 mg/kg (Rabbit)	> 6.5 mg/L (Rat) 4 h
Ethylbenzene	= 3500 mg/kg (Rat)	= 15400 mg/kg (Rabbit)	= 17.4 mg/L (Rat) 4 h
Carbon black	> 15400 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization Classification based on data available for ingredients. May cause sensitization by skin

contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on individual ingredients

of the mixture. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B	-	Х
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	Х
Ethylbenzene 100-41-4	A3	Group 2B	-	Х
Carbon black 1333-86-4	A3	Group 2B	-	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Petroleum naphtha, light	-	LC50: =9.22mg/L (96h,	-	EC50: =6.14mg/L (48h,
aromatic		Oncorhynchus mykiss)		Daphnia magna)
64742-95-6				
Naphtha (petroleum), heavy	-	LC50: =45mg/L (96h,	-	EC50: =0.95mg/L (48h,
aromatic		Pimephales promelas)		Daphnia magna)
64742-94-5		LC50: =41mg/L (96h,		
		Pimephales promelas)		
		LC50: =2.34mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =19mg/L (96h,		
		Pimephales promelas)		
		LC50: =1740mg/L (96h,		
		Lepomis macrochirus)		
n-Butyl alcohol	EC50: >500mg/L (96h,	LC50: 100000 -	-	EC50: 1897 - 2072mg/L
71-36-3	Desmodesmus	500000µg/L (96h,		(48h, Daphnia magna)
	subspicatus) EC50:	Lepomis macrochirus)		EC50: =1983mg/L (48h,
	>500mg/L (72h,	LC50: 1730 - 1910mg/L		Daphnia magna)
	Desmodesmus	(96h, Pimephales		
	subspicatus)	promelas) LC50:		
		=1910000µg/L (96h,		
		Pimephales promelas)		
		LC50: =1740mg/L (96h,		
		Pimephales promelas)		
Naphthalene	-	LC50: =31.0265mg/L	-	EC50: 1.09 - 3.4mg/L
91-20-3		(96h, Lepomis		(48h, Daphnia magna)

		macrochirus) LC50:		EC50: =1.96mg/L (48h,
		0.91 - 2.82mg/L (96h,		Daphnia magna) LC50:
		Oncorhynchus mykiss)		=2.16mg/L (48h,
		LC50: 5.74 - 6.44mg/L		Daphnia magna)
		(96h, Pimephales		
		promelas) LC50:		
		=1.99mg/L (96h,		
		Pimephales promelas)		
		LC50: =1.6mg/L (96h,		
		Oncorhynchus mykiss)		
Isobutyl alcohol	-	LC50: 1480 - 1730mg/L	-	EC50: 1070 - 1933mg/L
78-83-1		(96h, Lepomis		(48h, Daphnia magna)
		macrochirus) LC50:		EC50: =1300mg/L (48h,
		1370 - 1670mg/L (96h,		Daphnia magna)
		Pimephales promelas)		
		LC50: =375mg/L (96h,		
		Pimephales promelas)		
		LC50: 1120 - 1520mg/L		
		(96h, Oncorhynchus		
		mykiss)		
Ethylbenzene	EC50: =4.6mg/L (72h,	LC50: 7.55 - 11mg/L	EC50 = 9.68 mg/L 30	EC50: 1.8 - 2.4mg/L
100-41-4	Pseudokirchneriella	(96h, Pimephales	min	(48h, Daphnia magna)
	subcapitata) EC50: 1.7	promelas) LC50:	EC50 = 96 mg/L 24 h	
	- 7.6mg/L (96h,	=32mg/L (96h, Lepomis		
	Pseudokirchneriella	macrochirus) LC50:		
	subcapitata) EC50:	11.0 - 18.0mg/L (96h,		
	>438mg/L (96h,	Oncorhynchus mykiss)		
	Pseudokirchneriella	LC50: =4.2mg/L (96h,		
	subcapitata) EC50: 2.6	Oncorhynchus mykiss)		
	- 11.3mg/L (72h,	LC50: =9.6mg/L (96h,		
	Pseudokirchneriella	Poecilia reticulata)		
	subcapitata)	LC50: 9.1 - 15.6mg/L		
		(96h, Pimephales		
		promelas)		

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Naphtha (petroleum), heavy aromatic	2.9 - 6.1
64742-94-5	
n-Butyl alcohol	0.785
71-36-3	
Naphthalene	3.6
91-20-3	
Isobutyl alcohol	0.79
78-83-1	
Ethylbenzene	3.2
100-41-4	

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

Revision Date: 17-Mar-2020

environmental legislation.

Contaminated packaging Do not reuse empty containers.

RCRA (Resource Conservation and Recovery Act) waste information

Recovery Act, waste information						
Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes		
n-Butyl alcohol	-	Included in waste stream:	-	U031		
71-36-3		F039				
Naphthalene	U165	Included in waste	-	U165		
91-20-3		streams: F024, F025,				
		F034, F039, K001, K035,				
		K060, K087, K145				
Isobutyl alcohol	U140	Included in waste	-	U140		
78-83-1		streams: F005, F039				
Ethylbenzene	-	Included in waste stream:	-	-		
100-41-4		F039				

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene 91-20-3	-		Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

Chemical name	California Hazardous Waste Status
Aluminum	Ignitable powder
7429-90-5	
n-Butyl alcohol 71-36-3	Toxic
Naphthalene 91-20-3	Toxic
Ethylbenzene 100-41-4	Toxic Ignitable

14. Transport information

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

IOCA	Contact Supplier for invento	ny compilarice status.	
Chemical name	CAS No	US TSCA Inventory listing	US TSCA active/inactive designation
Titanium dioxide	13463-67-7	Present	Active
Barium sulfate	7727-43-7	Present	Active
Polyester	-		
Naphtha (petroleum), heavy aromatic	64742-94-5	Present	Active
Petroleum naphtha, light aromatic	64742-95-6	Present	Active
Bisphenol A - Epichlorohydrin polymer	25068-38-6	Present	Active
Xylene	1330-20-7	Present	Active
2-Butoxyethanol	111-76-2	Present	Active
Diethylene glycol monobutyl ether	112-34-5	Present	Active
Rutile, antimony chromium buff	68186-90-3	Present	Active
1,2,4 Trimethylbenzene	95-63-6	Present	Active
Naphthalene	91-20-3	Present	Active
n-Butyl alcohol	71-36-3	Present	Active
Isobutyl alcohol	78-83-1	Present	Active
Methyl ethyl ketone	78-93-3	Present	Active
Iron oxide	1309-37-1	Present	Active
Acrylic polymer	-		
Ethylbenzene	100-41-4	Present	Active
Carbon black	1333-86-4	Present	Active
C.I. Pigment Green 50	68186-85-6	Present	Active
Silicon dioxide	7631-86-9	Present	Active
C.I. Pigment Green 26	68187-49-5	Present	Active
Aluminum hydroxide	21645-51-2	Present	Active
Cumene	98-82-8	Present	Active
C.I. Pigment Yellow 53	8007-18-9	Present	Active
Epoxy resin	-		
Phosphorous trichloride, reaction products with 1,1`-biphenyl and 2,4-bis(1,1-dimethylethyl)phenol	119345-01-6	Present	Active
Octadecyl 3-(3`,5`-di-tert-butyl-4`-hydroxyphenyl) propionate	2082-79-3	Present	Active
Proprietary inert	-		
Toluene	108-88-3	Present	Active
Formaldehyde	50-00-0	Present	Active

^{*}Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL

Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Aluminum - 7429-90-5	1.0
Barium sulfate - 7727-43-7	1.0
n-Butyl alcohol - 71-36-3	1.0
Naphthalene - 91-20-3	0.1
Ethylbenzene - 100-41-4	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
Naphthalene 91-20-3	100 lb	X	Х	Х
Ethylbenzene 100-41-4	1000 lb	X	X	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
n-Butyl alcohol 71-36-3	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Naphthalene 91-20-3	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ
Isobutyl alcohol 78-83-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Ethylbenzene 100-41-4	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	
Naphthalene - 91-20-3	Carcinogen	
Ethylbenzene - 100-41-4	Carcinogen	
Carbon black - 1333-86-4	Carcinogen	
C.I. Pigment Green 50 - 68186-85-6	Carcinogen	
Cumene - 98-82-8	Carcinogen	
C.I. Pigment Yellow 53 - 8007-18-9	Carcinogen	
Toluene - 108-88-3	Developmental	

Formaldehyde - 50-00-0	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Aluminum 7429-90-5	X	X	X
Titanium dioxide 13463-67-7	X	X	X
Barium sulfate 7727-43-7	Х	X	X
n-Butyl alcohol 71-36-3	X	Х	X
Naphthalene 91-20-3	X	Х	X
Isobutyl alcohol 78-83-1	X	Х	X
Ethylbenzene 100-41-4	X	Х	X
Carbon black 1333-86-4	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and chemical properties -

HMIS Health hazards 2 * Flammability 0 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AÉGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

Revision Date: 17-Mar-2020

World Health Organization

17-Mar-2020 **Issuing Date**

Revision Date 17-Mar-2020

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet